# Specifications







## Eaton EATS30N

Eaton ATS rack PDU, 1U, Inputs Hardwired, 7.4 kW max, 30A, 200-240V, Output Hardwired

| General specifications | |
|---|---|
| **PRODUCT NAME** | Eaton ATS PDU |
| **CATALOG NUMBER** | EATS30N |
| **MODEL CODE** | Eaton ATS 30A Netpack |
| **UPC** | 743172069528 |
| **PRODUCT LENGTH/DEPTH** | 440 mm |
| **PRODUCT HEIGHT** | 43 mm |
| **PRODUCT WIDTH** | 390 mm |
| **PRODUCT WEIGHT** | 5 kg |
| **COMPLIANCES** | CE Marked |
| **CERTIFICATIONS** | CE |

## Product specifications

| | |
|---|---|
| **SPECIAL FEATURES** | • Provides power redundancy to IT equipment<br>• Alternative to expensive redundant power supplies available from networking equipment vendors<br>• Compact, 1U rack form factor<br>• Seamlessly switches from one power source to the other<br>• Network management |

| | |
|---|---|
| **TYPE** | ATS |
| **FORM FACTOR** | 1U |
| **OUTLET CONTROL** | No |

| | |
|---|---|
| **PACKAGE CONTENTS** | • ATS<br>• Quickstart guide<br>• Safety instructions<br>• Accessories for rack installation |

| | |
|---|---|
| **OPERATING TEMPERATURE** | 0° to 40°C (32° to 104°F) |
| **MOUNTING DIRECTION** | Horizontal |
| **COLOR** | Black |
| **INPUT CONNECTION** | Hardwired |
| **WATTAGE** | 7.4 kW max |
| **AMPERAGE RATING** | 30A |
| **INPUT VOLTAGE** | 200-240V |
| **PHASE** | Single-phase |
| **FREQUENCY RATING** | 50/60 Hz |
| **OUTLETS** | Hardwired |
| **NUMBER OF OUTPUTS HARDWIRED** | 1 |
| **SNMP** | Yes |
| **ETHERNET INTERFACE** | Yes |
| **SERIAL INTERFACE** | No |
| **MASS CONFIGURATION** | Yes |
| **ELECTRICAL CONNECTION** | Screwed terminal |
| **EVALUATION** | At distance |
| **MOUNTING DIMENSION (METRICAL)** | 43 |
| **MOUNTING DIMENSION (STANDARDIZED)** | 482.6 mm (19 inch) |
| **SWITCHABLE** | No |
| **OVER VOLTAGE CATEGORY** | 2 |
| **FITTED WITH:** | LED indication<br>Mounting material |

## Resources

| | |
|---|---|
| **BROCHURES** | Eaton UPS and battery services - EN |
| **COMPLIANCE INFORMATION** | EU declaration of conformity Eaton ATS |

| | |
|---|---|
| | Ampere Meter |
| **COMMUNICATION** | HTTP, HTTPS, SSL, Telnet, FTP, SNMP, SMTP, DNS, DHCP, LDAP, RADIUS |

| |
|---|
| **PROJECT NAME:** |
| **PROJECT NUMBER:** |
| **PREPARED BY:** |
| **DATE:** |

**Eaton Corporation plc** Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

Follow us on social media to get the latest product and support information.

© 2026 Eaton. All Rights Reserved.